



CERTIFICATE OF ANALYSIS

Product Description:	Processed 400+ Manuka Honey
Batch No:	BL23066
Manufacture Date:	4/04/2023
Best Before:	4/04/2026
Country Compliance	Germany

TEST	SPECIFICATION	RESULTS	PERFORMED BY
MG Methylglyoxal Test	Not less than applied Label	475	Hills Laboratories
Hydroxy Methyl Furfural Test	Not greater than 40mg/kg	19.7	Hills Laboratories
3-Phenyllactic acid	at a level greater than or equal to 400 mg/kg	800	Hills Laboratories
2'-Methoxyacetophenone	at a level greater than or equal to 5 mg/kg	17.7	Hills Laboratories
2-Methoxybenzoic acid	at a level greater than or equal to 1 mg/kg	7.6	Hills Laboratories
4-Hydroxyphenyllactic acid	at a level greater than or equal to 1 mg/kg	8.5	Hills Laboratories
Aerobic Plate Count (microbiology) Test	Not greater than 40mg/kg	N/A	
Moisture Test	Less than 20%	N/A	
Pollen Test	As tested and reported	N/A	
Tutin Test	Not greater than 0. 7mg/kg	PASS	Hills Laboratories
Yeast & Mould Test	Not greater than 1000 cfu/gram	N/A	
C4 Sugar Test	As tested and reported	N/A	
GLYPHOSATE	<0.010	0.01	Hills Laboratories

Mineral, Trace Elements and Heavy Metals Available upon request:

Not Requested

The above test includes: aluminium, arsenic, copper, chromium, iron, mercury, lead and zinc in honey.

Samples are tested as received.

This report must not be reproduced, except in full, without the written consent of signatory.

Date Reported: 16/05/2023

Signed: *B.M*

Report Number :
NZL2023/SBH1/333T